

Bring all of your digital media to your TV in the living room for the whole family to enjoy

The small, sleek Linksys DMA2100 brings the power of your Windows Media Center and your digital music, movies and photos to any TV in your home. With elegant and easy-to-navigate menu screens, you can view family slide shows, browse your music collection by cover art, listen to entire playlists, or choose from a vast selection of Internet radio stations from all over the world.

The DMA2100 and your Windows Vista Media Center PC give you a complete PVR solution - allowing you to watch, pause, rewind and record live TV (PC-embedded or optional TV tuner required). In addition to traditional TV, you also have access to a broad set of popular Internet video services that enable you to download the latest movie releases or stream the latest releases.

Let the Linksys DMA2100 bring your digital media collection out into the living room for the whole family to enjoy.

DATASHEET

Access video, music, and photos from your Microsoft Windows Vista™ Operating System Media Center PC and stream it to your home entertainment system via the DMA2100.

High speed, Dual band Wireless-N enables you to view streamed content from virtually anywhere in your home.



Media Center Extender

Model: **DMA2100**

Features

- The small, sleek Linksys DMA2100 brings the power of your Windows Media Center and your digital music, movies and photos to any TV in your home without running network wires
- The DMA2100 and your Windows Vista Media Center PC give you a complete PVR solution - allowing you to watch, pause, rewind and record live TV (PC-embedded or optional TV tuner required)
- Integrated high bandwidth, Dual band 802.11n wireless
- Learning remote included

Specifications

Model	DMA2100
Wi-Fi Standards	Draft dual band 802.11N, 802.11G, 802.11B (2.4GHz and 5GHz)
Security features	WEP, WPA, WPA2
Security key bits	64, 128, 256
# of Antennas	2 antennas for 802.11N-DualBand 2.4 and 5GHz

Media Playback Formats

Audio from Vista PC:	PCM Audio MP3 WMA WMA-Pro Dolby Digital AC-3 Audio MPEG Audio AAC-LC Stereo via Vista Media Center extension
Video from Vista PC:	MPEG-1 MPEG-2 WMV9 (Standard and High Definition) VC-1 Advanced Profile 4.0
Pictures from Vista PC:	JPG, PNG, BMP, GIF
Manual Language(s)	English, French, German, Dutch, Italian, Spanish, Swedish, Danish
UI Language(s)	English, French, German, Dutch, Italian, Spanish, Swedish, Danish
Ports	HDMI 1,2 Component Video Composite Video S-Video SPDIF RCA Stereo Ethernet 10/100 connector Power connector USB port for Service purpose only 2 Antennas
Buttons, Rear	Reset/Default setting button
LEDs	Front: On/Standby. Rear: Ethernet inlet Connected/Busy
Power Supply	Attached universal (100-240V) Wall Plug Power supply 12V/1.5A DC-plug, for exchangable Main Plug clips, for each region
Cables	Component cable 1.5m Composite Video cable1.2m Stereo Audio cable 1.2m Ethernet cable 2m Power clip, localized to country of sale

Environmental


Dimensions	6.69" x 4.45" x 7.40" (170 x 113 x 188 mm) (Incl. Inlets, feet and Antennas mounted/raised. Excl. Power supply)
Weight	1.54 lbs (700 g) 24.69 oz.
Power	12V Max. 1,5A (18W)
Certification	FCC, CE, IC
Operating Temp.	32 to 104°F (0 to 40°C)
Storage Temp.	-4 to 158°F (-20 to 70°C)
Operating Humidity	10 to 85% Non-condensing
Storage Humidity	5 to 90% Non-condensing

Package Contents

- Linksys Media Center Extender (DMA2100)
- Adaptor Power Supply with Regional clips
- Remote control and Batteries
- Two Antennas
- Cables (see Specifications above)
- Setup CD
- Quick Installation Guide
- User Guide on CD-ROM

Minimum Requirements

- "Certified for Windows Vista" or equivalent computer with Microsoft Vista Home Premium or Ultimate edition (Intel P4 2.4 GHz or higher or AMD equivalent, 1.0 GB of RAM, 100Mbps Ethernet connection) with CD-ROM drive and Internet Connection



Linksys
A Division of Cisco Systems, Inc.
121 Theory
Irvine, CA 92617 USA

E-mail: sales@linksys.com

Web: www.linksys.com

Linksys products are available in more than 50 countries, supported by 12 Linksys Regional Offices throughout the world. For a complete list of local Linksys Sales and Technical Support contacts, visit our worldwide website at www.linksys.com

The maximum performance for wireless is derived from IEEE Standard 802.11 specifications. Actual performance can vary, including lower wireless network capacity, data throughput rate, range and coverage. Performance depends on many factors, conditions and variables, including distance from the access point, volume of network traffic, building materials and construction, operating system used, mix of wireless products used, interference and other adverse conditions.

Check the product package and contents for specific features supported. Specifications are subject to change without notice. Linksys is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries. Copyright © 2007 Cisco Systems, Inc. All rights reserved. Other brands and product names are trademarks or registered trademarks of their respective holders.

7102210NC-DF

Model: **DMA2100**